


Notion 14

Specification Sheet (Rev: 1)

The Notion 14 is a compact, high power, fullrange loudspeaker enclosure. The cabinet combines a 12" neodymium mid/bass cone with a 1.4" neodymium compression driver on a 90° x 60° horn flare. The horn flare rotates to aid use in both landscape and portrait applications. The cabinet can be used Fullrange or combined with the NB15 or NB18 bass enclosures to form an integrated system. The Notion 14 contains an internal passive crossover network. The multipurpose nature of the cabinet makes it suitable for a variety of applications including FOH, stage fills and delays. Target markets for the product include church, live sound, theatre, installation and A/V.



Frequency Response:	• 50Hz – 20kHz		
Components:	Bass/mid: 12" Neodymium cone driver		
	 HF: 1.4" exit neodymium compression driver 		
Power handling:	• 500w		
Sensitivity (1):	• 97dB		
Directivity:	 90° x 60° above 1.5kHz 		
Impedance:	• 8 Ohm		
Construction:	15mm Birch plywood		
Finish:	Water based textured black paint		
Connections:	2 x Neutrik NL4 connectors		
	• 1+/1- Input 2+/2- N/C.		
Dimensions:	• 365mm (W) x 625mm (H) x 380mm (D)		
Packaged Dimensions:	• 510mm (W) x 780mm (H) x 465mm (D)		
Weight:	• 21 Kg		

Cabinet	Handle	Tophat	M20	Castors	Bracket Pt.	Inserts/Fly Points
Notion 14	2 off	Yes	No	No	Top/Side/Rear	10 off

Note: (1) Sensitivity measured at 1 metre with 2.83V, using band limited pink noise.

E: sales@logicsystems.co.uk T: +44(0)1427 611791 w: www.logicsystems.co.uk